

SAS BACKLIT KNIT PREMIUM - Print Media Textile

DIRECT PRINT/HEAT TRANSFER

SAS Backlit Knit Premium is an optic white, warp knit polyester fabric engineered with our proprietary print receptive coating providing outstanding color consistency and excellent image sharpness when printed. This versatile backlit fabric can be printed on either side providing varied textures, feel and appearance.

SAS Backlit Knit Premium is coated to eliminate pinholes and hot spots from LED lighting. This fabric is soft, with stable dimensional stretch and wrinkle-resistant reducing creasing effects from soft-folding and shipping.

SAS Backlit Knit Premium is ideal for backlit and frontlit frame systems as well as applications including banners, backdrops, pop-up displays, retail and trade show displays as well as directional and wayfinding signage.

This fabric is 100% recyclable

Ink Compatibility:

Dye-Sub Transfer	Dye—Sub Direct	UV	Latex	Screen Print UV	Screen Print Water Base	Aqueous Dye/Pigment	Solvent	Eco-Solvent
Yes	Yes	N/A	N/A	N/A	N/A	N/A	N/A	N/A

About Us:

SAS Digital Technology Solutions is a division of SAS Graphic Supply, offering expertise and full solutions for digital textile printing including dye-sublimation printers, ink, transfer paper, full inventory of digital textiles, custom roll sizes slit to order as well as finishing equipment and an extensive line of print media products. In business for over 35 years, SAS Graphic Supply is an industry leader, providing printing companies with cutting edge, innovative technologies. Our highly skilled and knowledgeable account managers will work with you to build your business, backed by our strong customer service and technical service support teams. Contact us today to learn more.

Material	Polyester
Finish	Print Receptive
Weight	7.6 oz. per sq. yd.
Flame Resistance	NFPA 701
Available Width	Up to 126"

★ Custom widths can be slit to your specifications!

This Fabric is REACH Compliant
And OEKO-Tex Standard 100
Certified

Contact us toll-free today to learn more: 800.722.7727

Visit: sasgraphicsupply.com

Specifications provided represent the industry standard of an average manufacturing range. Determine suitability of this product for your specific application needs.